



LET THE **COLOURS**
INSPIRE YOU!



Harmoni
PUNCH WITH STYLE
60X120CM PORCELAIN TILES

EXOTICA TILES LLP.

Survey No. 477, Nr. Narmada Kenal, Jetpar Road, At. Sapar, Morbi, Gujarat 363 642 (INDIA)
Info@exoticatiles.com | www.exoticatiles.com | +91 96622 99003 /+91 70164 71963

LEGAL INFORMATION

THIS CATALOG, PUBLISHED BY EXOTICA TILES IN MAY 2024, INCLUDES PRODUCT INFORMATION AND DETAILS. EXOTICA CERAMIC RETAINS THE RIGHT TO MAKE IMPROVEMENTS OR MODIFICATIONS FOR CUSTOMER BENEFIT. ALL CONTENT IN THIS CATALOG IS COPYRIGHTED, AND REPRODUCTION OF PICTURES, TEXT, ILLUSTRATIONS, OR GRAPHIC CONCEPTS IN WHOLE OR PART REQUIRES EXOTICA CERAMIC IS EXPLICIT PERMISSION. PLEASE CONSIDER COLORS AND SHADES AS APPROXIMATE DUE TO PRINTING IMITATIONS.



ELEVATE YOUR SPACE WITH **HARMONI**

where subtle sophistication meets bold design. These 60x120cm porcelain tiles blend clean aesthetics with a confident edge, offering a perfect balance of elegance and impact. Whether you're recreating a serene space or a modern statement, Harmoni delivers a seamless fusion of style, strength, and contemporary flair.

HARMONI SERIES



ANQUIT COMPANY



EXOTICA®
EXCLUSIVE SURFACES

Exotica Tiles LLP is pleased to introduce the Harmony Collection, a distinguished provider of premium porcelain and wall tiles recognized worldwide for their superior quality and adaptability. Our collection encompasses a widerangeofstylesandapplications,addressingtheneeds of residential, commercial, and public architectural projects. As experts in the field, we are dedicated to delivering top-notch design and cutting-edge technology, ensuring that our surfaces consistently offer optimal solutionstailoredtotherequirementsofdesignersandend usersacrossvariousapplications.

www.exoticatiles.com



EXOTICA[®]
EXCLUSIVE SURFACES




MAKE EVERY SPACE SPEAK **STYLE**

because every corner of your home deserves to reflect your personality. Our exclusive tile collection blends timeless elegance with modern flair, offering designs that turn ordinary spaces into stunning statements. Whether it's the warmth of a cozy living room, the sophistication of a sleek bathroom, or the vibrance of a welcoming kitchen, our tiles are crafted to inspire.

Harmoni
PUNCH WITH STYLE
60X120CM PORCELAIN TILES

HARMONY IN EVERY INCH OF IMPACT

Our tiles are designed to do more than cover surfaces; they bring balance, beauty, and boldness to every space. At [Your Brand Name], we believe that true design is where elegance meets purpose. Each tile in our collection is a fusion of aesthetic harmony and lasting impression—crafted to elevate interiors while maintaining seamless flow. Whether you're creating a calming retreat or a statement-making centerpiece, our tiles deliver perfect symmetry and style in every inch. Let your spaces speak with subtle power and refined impact.



www.exoticatiles.com

EXOTICA[®]
EXCLUSIVE SURFACES

HARMONY SERIES
•••

HARMONY IN FORM AND FUNCTION

At Exotica Tiles, We infuse each design with unparalleled uniqueness and innovation. Blending aesthetics with durability, our products ignite a revolution, brightening and captivating any space they adorn. With meticulous texturing and a contemporary color palette, our designs breathe life into your surroundings. The Exotica Tiles collection exudes reliability, making it perfect for diverse spaces and a symbol of quality.



EXOTICA[®]
EXCLUSIVE SURFACES



Scratch
Resistance



Fire
Resistance



Frost
Resistance



Stain
Resistance



Dimensional
Stability



Germ
Resistance



Chemical
Resistance



Water
Resistance


www.exoticatiles.com

EXOTICA®
EXCLUSIVE SURFACES

EXPLORE THE ELEGANCE
OF **EXPANSIVE SURFACES**

www.exoticatiles.com


SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT




SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT




SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT





SIZE: 600X1200 | RANDOM: 3 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 3 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 3 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 3 PHASE | PUNCH: MATT







SIZE: 600X1200 | RANDOM: 6 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 6 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 6PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 6PHASE | PUNCH: MATT






SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT




SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT







BLISS BIANCO

SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



BLISS CREMA

SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT




SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT






SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT




SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT






SIZE: 600X1200 | RANDOM: 6PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 6PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 6 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 6 PHASE | PUNCH: MATT





SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT




SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT





SIZE: **600X1200** | RANDOM: **5 PHASE** | PUNCH: **MATT**



SIZE: **600X1200** | RANDOM: **5 PHASE** | PUNCH: **MATT**



SIZE: 600 X 1200 | RANDOM: 5 PHASE | PUNCH: MATT



SIZE: 600 X 1200 | RANDOM: 5 PHASE | PUNCH: MATT



SIZE: 600 X 1200 | RANDOM: 5 PHASE | PUNCH: MATT







SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT





SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT






SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT







SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT




SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT







SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT




SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT







SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT




SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT





SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT





EXOTICA®
EXCLUSIVE SURFACES


SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600X1200 | RANDOM: 4 PHASE | PUNCH: MATT



SIZE: 600 X 1200 | RANDOM: 4 PHASE | PUNCH: MATT





Technical Specification

Characteristics	Standard (ISO -1-3006 /En1 4411)	Value of Tiles	Test Method
-----------------	----------------------------------	----------------	-------------

Regulatory Properties

Deviation In Length & Width	± 0.5%	± 0.2%	ISO - 10545-2
Deviation In Thickness	± 0.5%	± 0.5%	ISO - 10545-2
Straightness In Side	± 0.5%	± 0.2%	ISO - 10545-2
Rectangularity	± 0.5%	± 0.2%	ISO - 10545-2
Surface Flatness	± 0.5%	± 0.2%	ISO - 10545-2
Color Diffrence	Unaltered	No Change	ISO - 10545-16
Glossiness	As per Mfg.	> 90%	Glossmeter

Structural Properties

Water Absorption	< 0.5%	< 0.5%	ISO - 10545-3
Apparent Density	> 2.00 g/cc	> 2.00 g/cc	DIN 51082

Massive Mechanical Properties

Modulus Of Rupture	Min 35N/mm2	Min 40N/mm2	ISO - 10545-4
Breaking Stregnth	Min.1300 N	Min.2000 N	ISO - 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO - 10545-5

Surface Mechanical Properties

Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO - 10545-7
Moh's Hardness	As per Mfg.	Min. class 4	EN 101

Thermo Hygrometric Properties

Frost Resistance	No Damage	No Damage	ISO - 10545-12
Thermal Shock Resistance	No Damage	No Damage	ISO - 10545-09
Moisture Expansion	Nil	Nil	ISO - 10545-10
Thermal Expansion (coe)	Max.9.0x10 6	Max.6.5x10 6	ISO - 10545-08
Crazing Resistance	As per Mfg.	Min. 10 cycle	ISO - 10545-11

Chemical Properties

Chemical Resistance	No Damage	No Damage	ISO - 10545-13
Stain Resistance	Resistant	Resistant	ISO - 10545-14

Chemical Properties

Dynamic Coefficient Of Friction (dcof)	As per Mfg.	>0.40	ISO - 10545-17
Fire Resistance	As per Mfg.	F I proof	N.A.

Resistance To Surface Abrasion

Pei	Resistant	4	ISO - 10545-07
-----	-----------	---	----------------

Packing Details

Product Size (cm)	Collection	Thickness (cm)	Sq.mtr	Approx Weight	Pcs/boxes
60x120	Harmoni	0.9	1.44	29kg	2